

Food Establishment Inspection Report

Score: 97.5

Establishment Name: DOWNTOWN THAI

Establishment ID: 3034011573

Location Address: 271 W 4TH ST

City: WINSTON SALEM State: North Carolina

Zip: 27101 County: 34 Forsyth

Permittee: SOUPHAB RESTAURANT GROUP INC

Telephone: (336) 777-1422

☒ Inspection ☐ Re-Inspection

Wastewater System:

☒ Municipal/Community ☐ On-Site System

Water Supply:

☒ Municipal/Community ☐ On-Site Supply

Date: 11/30/2022 Status Code: A

Time In: 11:20 AM Time Out: 1:45 PM

Category#: IV

FDA Establishment Type: Full-Service Restaurant

No. of Risk Factor/Intervention Violations: 2

No. of Repeat Risk Factor/Intervention Violations: 1

Foodborne Illness Risk Factors and Public Health Interventions

Risk factors: Contributing factors that increase the chance of developing foodborne illness.

Public Health Interventions: Control measures to prevent foodborne illness or injury

Compliance Status		OUT	CDI	R	VR
Supervision .2652					
1	<input checked="" type="checkbox"/> OUT/N/A	PIC Present, demonstrates knowledge, & performs duties	1	0	
2	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT/N/A	Certified Food Protection Manager	<input checked="" type="checkbox"/>	0	X
Employee Health .2652					
3	<input checked="" type="checkbox"/> OUT	Management, food & conditional employee; knowledge, responsibilities & reporting	2	1	0
4	<input checked="" type="checkbox"/> OUT	Proper use of reporting, restriction & exclusion	3	1.5	0
5	<input checked="" type="checkbox"/> OUT	Procedures for responding to vomiting & diarrheal events	1	0.5	0
Good Hygienic Practices .2652, .2653					
6	<input checked="" type="checkbox"/> OUT	Proper eating, tasting, drinking or tobacco use	1	0.5	0
7	<input checked="" type="checkbox"/> OUT	No discharge from eyes, nose, and mouth	1	0.5	0
Preventing Contamination by Hands .2652, .2653, .2655, .2656					
8	<input checked="" type="checkbox"/> OUT	Hands clean & properly washed	4	2	0
9	<input checked="" type="checkbox"/> OUT/N/A/N/O	No bare hand contact with RTE foods or pre-approved alternate procedure properly followed	4	2	0
10	<input checked="" type="checkbox"/> OUT/N/A	Handwashing sinks supplied & accessible	2	1	0
Approved Source .2653, .2655					
11	<input checked="" type="checkbox"/> OUT	Food obtained from approved source	2	1	0
12	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A	Food received at proper temperature	2	1	0
13	<input checked="" type="checkbox"/> OUT	Food in good condition, safe & unadulterated	2	1	0
14	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A/N/O	Required records available: shellstock tags, parasite destruction	2	1	0
Protection from Contamination .2653, .2654					
15	<input checked="" type="checkbox"/> OUT/N/A/N/O	Food separated & protected	3	1.5	0
16	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT	Food-contact surfaces: cleaned & sanitized	3	1.5	X
17	<input checked="" type="checkbox"/> OUT	Proper disposition of returned, previously served, reconditioned & unsafe food	2	1	0
Potentially Hazardous Food Time/Temperature .2653					
18	<input checked="" type="checkbox"/> OUT/N/A/N/O	Proper cooking time & temperatures	3	1.5	0
19	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT/N/A/N/O	Proper reheating procedures for hot holding	3	1.5	0
20	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT/N/A/N/O	Proper cooling time & temperatures	3	1.5	0
21	<input checked="" type="checkbox"/> OUT/N/A/N/O	Proper hot holding temperatures	3	1.5	0
22	<input checked="" type="checkbox"/> OUT/N/A/N/O	Proper cold holding temperatures	3	1.5	0
23	<input checked="" type="checkbox"/> OUT/N/A/N/O	Proper date marking & disposition	3	1.5	0
24	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A/N/O	Time as a Public Health Control; procedures & records	3	1.5	0
Consumer Advisory .2653					
25	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A	Consumer advisory provided for raw/undercooked foods	1	0.5	0
Highly Susceptible Populations .2653					
26	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A	Pasteurized foods used; prohibited foods not offered	3	1.5	0
Chemical .2653, .2657					
27	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A	Food additives: approved & properly used	1	0.5	0
28	<input checked="" type="checkbox"/> OUT/N/A	Toxic substances properly identified stored & used	2	1	0
Conformance with Approved Procedures .2653, .2654, .2658					
29	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A	Compliance with variance, specialized process, reduced oxygen packaging criteria or HACCP plan	2	1	0

Good Retail Practices

Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Compliance Status		OUT	CDI	R	VR
Safe Food and Water .2653, .2655, .2658					
30	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A	Pasteurized eggs used where required	1	0.5	0
31	<input checked="" type="checkbox"/> OUT	Water and ice from approved source	2	1	0
32	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A	Variance obtained for specialized processing methods	2	1	0
Food Temperature Control .2653, .2654					
33	<input checked="" type="checkbox"/> OUT	Proper cooling methods used; adequate equipment for temperature control	1	0.5	0
34	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A	Plant food properly cooked for hot holding	1	0.5	0
35	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A	Approved thawing methods used	1	0.5	0
36	<input checked="" type="checkbox"/> OUT	Thermometers provided & accurate	1	0.5	0
Food Identification .2653					
37	<input checked="" type="checkbox"/> OUT	Food properly labeled: original container	2	1	0
Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657					
38	<input checked="" type="checkbox"/> OUT	Insects & rodents not present; no unauthorized animals	2	1	0
39	<input checked="" type="checkbox"/> OUT	Contamination prevented during food preparation, storage & display	2	1	0
40	<input checked="" type="checkbox"/> OUT	Personal cleanliness	1	0.5	0
41	<input checked="" type="checkbox"/> OUT	Wiping cloths: properly used & stored	1	0.5	0
42	<input checked="" type="checkbox"/> OUT/N/A	Washing fruits & vegetables	1	0.5	0
Proper Use of Utensils .2653, .2654					
43	<input checked="" type="checkbox"/> OUT	In-use utensils: properly stored	1	0.5	0
44	<input checked="" type="checkbox"/> OUT	Utensils, equipment & linens: properly stored, dried & handled	1	0.5	0
45	<input checked="" type="checkbox"/> OUT	Single-use & single-service articles: properly stored & used	1	0.5	0
46	<input checked="" type="checkbox"/> OUT	Gloves used properly	1	0.5	0
Utensils and Equipment .2653, .2654, .2663					
47	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A	Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed & used	1	0.5	0
48	<input checked="" type="checkbox"/> OUT	Warewashing facilities: installed, maintained & used; test strips	1	0.5	0
49	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT	Non-food contact surfaces clean	1	0.5	X
Physical Facilities .2654, .2655, .2656					
50	<input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A	Hot & cold water available; adequate pressure	1	0.5	0
51	<input checked="" type="checkbox"/> OUT	Plumbing installed; proper backflow devices	2	1	0
52	<input checked="" type="checkbox"/> OUT	Sewage & wastewater properly disposed	2	1	0
53	<input checked="" type="checkbox"/> OUT/N/A	Toilet facilities: properly constructed, supplied & cleaned	1	0.5	0
54	<input checked="" type="checkbox"/> OUT	Garbage & refuse properly disposed; facilities maintained	1	0.5	0
55	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT	Physical facilities installed, maintained & clean	X	0.5	0
56	<input checked="" type="checkbox"/> OUT	Meets ventilation & lighting requirements; designated areas used	1	0.5	0
TOTAL DEDUCTIONS:					2.5



Comment Addendum to Food Establishment Inspection Report

Establishment Name: DOWNTOWN THAI
 Location Address: 271 W 4TH ST
 City: WINSTON SALEM State: NC
 County: 34 Forsyth Zip: 27101
 Wastewater System: ☒ Municipal/Community ☐ On-Site System
 Water Supply: ☒ Municipal/Community ☐ On-Site System
 Permittee: SOUPHAB RESTAURANT GROUP INC
 Telephone: (336) 777-1422

Establishment ID: 3034011573
☒ Inspection ☐ Re-Inspection Date: 11/30/2022
 Comment Addendum Attached? ☒ Status Code: A
 Water sample taken? ☐ Yes ☒ No Category #: IV
 Email 1: downtownthai@yahoo.com
 Email 2:
 Email 3:



Temperature Observations

Effective January 1, 2019 Cold Holding is now 41 degrees or less

Item	Location	Temp	Item	Location	Temp	Item	Location	Temp
cabbage	make unit	40						
chicken	make unit	39						
cooked chicken	final cook	173						
spring roll	final cook	188						
raw shrimp	upright	39						
raw beef	upright	39						
meatball	upright	40						
cooked chicken	cooler	37						
cooked wings	cooler	38						
hot water	three comp sink	118						

Person in Charge (Print & Sign):
 First
 Last
 Regulatory Authority (Print & Sign): Joseph

First
 Last
 Chrobak

REHS ID: 2450 - Chrobak, Joseph
 REHS Contact Phone Number: (336) 703-3164

Verification Required Date:

Authorize final report to
 be received via Email:



North Carolina Department of Health & Human Services

Page 1 of _____
 DHHS is an equal opportunity employer.
 Food Establishment Inspection Report, 10/2021

• Division of Public Health • Environmental Health Section • Food Protection Program



Comment Addendum to Inspection Report

Establishment Name: DOWNTOWN THAI

Establishment ID: 3034011573

Date: 11/30/2022 **Time In:** 11:20 AM **Time Out:** 1:45 PM

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 2 2-102.12 (A) Certified Food Protection Manager (C)- Repeat - PIC does not have current food safety manager training. At least one employee who has supervisory and management responsibility and the authority to direct and control food preparation and service shall be a certified food protection manager.
- 16 4-501.114 Manual and Mechanical Warewashing Equipment, Chemical Sanitization - Temperature, pH, Concentration and Hardness (P) Sanitizer at chlorine dish machine was measuring 0ppm chlorine at start of inspection. Establishment had not yet begun using dish machine for the day. After running the machine multiple times and priming the sanitizer solution the solution was still measuring 0 ppm. Chlorine sanitizer solution for warewashing must be maintained at 50 -200 ppm. CDI: PIC replaced sanitizer solution and reprimed the unit and it consistently supplied 50 ppm chlorine sanitizer solution in washes. Have employees test sanitizer solution at dish machine daily at start of day to prevent issues with sanitizer occurring during operation.
- 47 4-501.11 Good Repair and Proper Adjustment - Equipment (C) Ice machine is leaking from side of machine onto the floor. Scrap sink sprayer has metal covering that is peeling off. Minor crack is present in front left corner of the left basin of the three compartment sink. Equipment shall be kept in good repair. Repair noted items.
- 49 4-602.13 Nonfood Contact Surfaces (C) Detail cleaning needed on wire shelf holding plates has dust build up where shelf meets wall. Non food contact surfaces shall be kept clean.
- 55 6-501.11 Repairing - Premises, Structures, Attachments, and Fixtures - Methods (C) Repeat: Cracked/damaged floor tiles in kitchen mainly around grease trap lid and upstairs storage area, some ceiling damage/flaking paint upstairs. Water damage from leak present in upstairs storage. Four ceiling tiles warped above dish machine. Physical facilities shall be maintained in good repair. Repair noted items.